

Wavin

Wavin PVC-KG

Catalog de produse





Tuburi si fittinguri din PVC

Solutii inovative pentru


Rețele de canalizare

Tuburi PVC-KG SN4 - canalizari exterioare



Cod	Diam	d	s	t	D	l	g
	mm	mm	mm	mm	mm	m	kg
90.6.1110	100	110	3.2	76	129	1	1.67
90.6.2110	100	110	3.2	76	129	2	3.22
90.6.3110	100	110	3.2	76	129	3	4.89
90.6.5110	100	110	3.2	76	129	5	7.87
90.6.1125	125	125	3.2	82	146	1	1.93
90.6.2125	125	125	3.2	82	146	2	3.70
90.6.3125	125	125	3.2	82	146	3	5.63
90.6.5125	125	125	3.2	82	146	5	9.01
90.6.1160	150	160	4.0	100	184	1	2.99
90.6.2160	150	160	4.0	100	184	2	5.71
90.6.3160	150	160	4.0	100	184	3	8.70
90.6.5160	150	160	4.0	100	184	5	13.87
90.6.6160	150	160	3.6	100	184	6	46.17
90.6.1200	200	200	5.1	120	228	1	4.77
90.6.2200	200	200	5.1	120	228	2	9.00
90.6.3200	200	200	5.1	120	228	3	13.77
90.6.5200	200	200	5.1	120	228	5	21.69
90.6.6200	200	200	4.5	120	228	6	26.02
90.6.1250	250	250	6.5	140	289	1	8.00
90.6.2250	250	250	6.5	140	289	2	15.31
90.6.3250	250	250	6.5	140	289	3	23.31
90.6.5250	250	250	6.5	140	289	5	36.67
90.6.6250	250	250	6.1	140	289	6	43.64
90.6.1315	300	315	8.4	160	359	1	13.00
90.6.2315	300	315	8.4	160	359	2	24.60
90.6.3315	300	315	8.4	160	359	3	37.60
90.6.5315	300	315	8.4	160	359	5	58.29
90.6.6315	300	315	7.7	160	359	6	69.94
90.6.1400	400	400	9.8	190	452	1	22.33
90.6.2400	400	400	9.8	190	452	2	40.40
90.6.3400	400	400	9.8	190	452	3	60.60
90.6.6400	400	400	9.8	190	452	6	120.20
90.6.1500	500	500	12.2	220	567	1	34.38
90.6.2500	500	500	12.2	220	567	2	62.60
90.6.3500	500	500	12.2	220	567	3	93.90
90.6.6500	500	500	12.2	220	567	6	186.68

Tuburi din PVC WAVIHOL - perete dublu Sn4 - canalizari exterioare




Cod	Diam	d	s	t	l	g
	mm	mm	mm	mm	m	kg
90.6.W4.3630	600	630	17.5	270	3	229.5
90.6.W4.6630	600	630	17.5	270	6	918.0
90.6.W4.3800	800	800	22.3	340	3	360.0
90.6.W4.6800	800	800	22.3	340	6	1440.0

Lubrifiant garnituri




Cod	Greutate
	g
90.9.0029	150
90.9.0030	250
90.9.0031	500
90.9.0032	1000

Cot la 15 grade




Cod	Diam	z1	z2
	mm	mm	mm
90.5.0310	110	9	14
90.5.0320	125	10	15
90.5.0330	160	13	19
90.5.0340	200	15	23
90.5.0350	250	19	30
90.5.0360	315	23	38
90.5.0370	400	29	48
90.5.0380	500	37	59

Cot la 30 grade




Cod	Diam	z1	z2
	mm	mm	mm
90.5.0311	110	17	21
90.5.0321	125	19	23
90.5.0331	160	24	30
90.5.0341	200	30	38
90.5.0351	250	37	49
90.5.0361	315	47	61
90.5.0371	400	59	78
90.5.0381	500	74	97

Cot la 45 grade




Cod	Diam	z1	z2
	mm	mm	mm
90.5.0312	110	25	29
90.5.0322	125	28	33
90.5.0332	160	36	42
90.5.0342	200	46	54
90.5.0352	250	57	69
90.5.0362	315	72	86
90.5.0366	400	91	110
90.5.0382	500	114	137

Cot la 67 grade




Cod	Diam	z1	z2
	mm	mm	mm
90.5.0313	110	40	43
90.5.0323	125	45	49
90.5.0333	160	58	64
90.5.0343	200	72	80

Cot la 87 grade




Cod	Diam	z1	z2
	mm	mm	mm
90.5.0314	110	9	14
90.5.0324	125	10	15
90.5.0334	160	13	19
90.5.0344	200	15	23
90.5.0354	250	19	30
90.5.0364	315	23	38
90.5.0368	400	29	48
90.5.0373	500	37	59

Mufe pentru reparatii




Cod	Diam	L
	mm	mm
90.5.0471	110	122
90.5.0472	125	138
90.5.0473	160	172
90.5.0474	200	212
90.5.0475	250	250
90.5.0476	315	293
90.5.0477	400	324
90.5.0478	500	362

Mufa dubla - cu opritor




Cod	Diam	L
	mm	mm
90.5.0451	110	3.4
90.5.0715	125	3.3
90.5.0453	160	5.3
90.5.0454	200	5.5
90.5.0718	250	27.5
90.5.0719	315	32.0
90.5.07194	400	73.0
90.5.07195	500	70.0

Mufa simpla




Cod	Diam	L
	mm	mm
90.5.0539	110	4.7
90.5.0541	160	3.3
90.5.0542	200	5.3

Reductie excentrica




Cod	Diam	L
	mm	mm
90.5.0411	125/110	15
90.5.0415	160/110	34
90.5.0416	160/125	27
90.5.0420	200/160	31
90.5.0427	250/200	38
90.5.0431	315/250	50
90.5.0435	400/315	64
90.5.0436	500/400	76

Dop protectie




Cod	Diam	L
	mm	mm
90.5.0511	110	3.0 ①
90.5.0512	125	3.0 ①
90.5.0513	160	3.6 ①
90.5.0514	200	4.5 ①
90.5.0515	250	②
90.5.0517	315	②
90.5.0519	400	②
90.5.0520	500	②

Capac de protectie



Cod	Diam	L
	mm	mm
90.5.0531	110	38
90.5.0532	125	42
90.5.0533	160	49
90.5.0534	200	59
90.5.0535	250	64
90.5.0536	315	74
90.5.0537	400	85
90.5.0538	500	98

Piesa de trecere beton - PVC (beton - mufa PVC)



Cod	Diam	Di	L1
	mm	mm	mm
90.5.0611	110*	152	137
90.5.0613	160*	210	218
90.5.0614	200**	268	259
90.5.0615	250**	341	305
90.5.0616	315**	400	362
90.5.0617	400**	525	418
90.5.0618	500**	652	475

** Tip 2


* Tip 1

Piesa de curatire



Cod	Diam	L
	mm	mm
90.5.0401	110	264
90.5.0402	125	300
90.5.0403	160	343
90.5.0404	200	412
90.5.0405	250	722
90.5.0406	315	745
90.5.0407	400	792

Piesa de trecere mufa beton - PVC




** Tip 2

* Tip 1

Cod	Diam	Du	L1
	mm	mm	mm
90.5.0619	110*	148	74
90.5.0620	160*	206	95
90.5.0621	200**	264	220
90.5.0622	250**	323	325
90.5.0623	315**	375	370
90.5.0624	400**	502	415

Piesa de tranzitie fonta - PVC




Cod	Diam	d	D	l
	mm	mm	mm	mm
90.5.0711	100	110	124	60
90.5.0712	125	125	151	65
90.5.0713	150	160	176	70
90.5.0714	200	200	226	80

Set 2 garnituri pentru piesa tranzitie fonta - PVC




Cod	Diam
	mm
90.5.07145	110
90.5.0715	125
90.5.0716	160
90.5.0717	200

Ramificatie la 45 grade



Ramificatie la 87 grade



Cod	Diam	z1	z2	z3	L
	mm	mm	mm	mm	mm
90.5.0027	110/110	25	134	134	295
90.5.0045	125/110	18	144	141	308
90.5.0047	125/125	28	152	152	329
90.5.0063	160/110	2	168	159	342
90.5.0065	160/125	12	176	169	362
90.5.0067	160/160	36	194	194	411
90.5.0081	200/110	-17	195	179	381
90.5.0083	200/125	-7	203	190	402
90.5.0085	200/160	18	221	215	452
90.5.0087	200/200	45	242	242	506
90.5.0099	250/110	-38	290	310	510
90.5.0101	250/125	-28	280	270	530
90.5.0103	250/160	-3	260	250	550
90.1.0105	250/200	24	350	310	640
90.1.0107	250/250	57	340	340	680
90.1.0110	315/110	-67	310	320	600
90.5.0115	315/125	-56	310	320	630
90.5.0121	315/160	-33	340	340	680
90.5.0123	315/200	-5	380	380	700
90.5.0125	315/250	28	380	380	800
90.5.0127	315/315	72	440	440	840
90.5.1130	400/110	-105	340	360	700
90.5.0132	400/125	-94	400	400	740
90.5.0216	400/160	-70	400	380	770
90.5.0220	400/200	-43	410	400	820
90.5.02211	400/250	-10	480	450	850
90.5.02213	400/315	34	540	500	960
90.5.02215	400/400	91	550	500	1030
90.5.02217	500/110	-150	440	435	770
90.5.02218	500/160	-115	422	371	820
90.5.022201	500/200	-88	470	510	870
90.1.0111	500/250	-55	550	532	900
90.1.0113	500/315	-11	560	583	1030
90.1.0115	500/400	47	578	548	1060
90.1.0117	500/500	114	652	683	1100


Cod	Diam	z1	z2	z3	L
	mm	mm	mm	mm	mm
90.5.0028	110/110	57	61	61	254
90.5.0046	125/110	57	68	62	268
90.5.0048	125/125	65	69	69	284
90.5.0064	160/110	59	83	63	303
90.5.0066	160/125	66	86	71	318
90.5.0068	160/160	83	131	88	352
90.5.0082	200/110	61	106	67	370
90.5.0084	200/125	69	106	75	377
90.5.0086	200/160	86	108	91	394
90.5.0088	200/200	105	111	111	435
90.5.0098	250/110	64	160	130	470
90.5.0102	250/125	71	170	130	500
90.5.0104	250/160	88	165	135	530
90.1.0106	250/200	107	160	160	560
90.1.0108	250/250	131	160	180	600
90.1.0111	315/110	67	200	130	550
90.1.0116	315/125	74	200	130	580
90.1.0122	315/160	91	200	160	600
90.5.0124	315/200	110	170	180	650
90.5.0126	315/250	134	220	210	700
90.5.0128	315/315	166	260	220	710
90.5.0131	400/110	70	250	100	660
90.5.0217	400/160	95	210	150	700
90.5.0221	400/200	114	230	200	750
90.5.02212	400/250	139	230	220	800
90.5.02214	400/315	114	300	220	820
90.5.02216	400/400	210	310	240	840
90.5.02219	500/160	99	220	283	770
90.1.0110	500/200	118	253	131	800
90.1.0112	500/250	144	257	155	870
90.5.022206	500/315	175	333	300	880
90.1.0116	500/400	216	267	226	950
90.5.0118	500/500	262	274	274	1000

Element sa de bransare




Cod	Diam
mm	
90.5.02217	200/160
90.5.0223	315/160
90.5.0224	315/200
90.5.02218	400/160
90.5.0222	400/200
90.5.02220	500/160
90.5.02221	500/200

Fierastrau circular (carota)



Cod	Dy	F1
mm		
90.5.CAK11	110	118
90.5.CAK159	160	159
90.5.CAK20	200	198

Clapeta antirefulare



Cod	Diam	H	L
mm			
90.5.609 852	110	110	355
90.5.609 853	125	118	390
90.5.609 854	160	135	460
90.5.609 858	200	178	530

Piesa de trecere prin peretele caminului



Cod	Diam	L
mm		
90.5.0720	110	240
90.5.0723	125	240
90.5.0721	160	240
90.5.0722	200	240
90.5.0725	250	240
90.5.0731	315	240
90.5.0733	400	240
90.5.0734	500	240

** Tip 2 * Tip 1